

# YOL İÇİ

Ölçü	Yük İndeksi ve Hız Kodu	İşaretler	Taban Deseni	IP Kodu	Peşin Fiyatı TL	Taksitli Fiyatı TL
------	-------------------------	-----------	--------------	---------	-----------------	--------------------

Ø 17.5"

8.5 R 17.5 TL	121/120M	PLUS	LS97	0869000	493	518
	121/120L	PLUS M+S	MS38	0869100	523	549
205/75 R 17.5 TL	124/122M	AMARANTO	FR85	1728200	522	548
		AMARANTO M+S	TR85	1728600	558	586
215/75 R 17.5 TL	126/124M	AMARANTO	FR85	1658300	533	559
		AMARANTO M+S	TR85	1658400	558	586
225/75 R 17.5 TL	129/127M	AMARANTO	FR85	1728300	573	601
		AMARANTO M+S	TR85	1728700	609	639
235/75 R 17.5 TL	132/130M	AMARANTO	FR85	1728400	618	649
		AMARANTO M+S	TR85	1728800	654	687
245/70 R 17.5 TL	136/134M	AMARANTO	FR85	1728500	646	678
		AMARANTO M+S	TR85	1728900	692	727

Ø 19.5"

245/70 R 19.5 TL	136/134M		FH55	0837400	728	764
		M+S	TH25	0855600	790	829
265/70 R 19.5 TL	140/138M	PLUS	FH55	1609800	810	850
		PLUS M+S	TH25	1609900	921	967
285/70 R 19.5 TL	145/143M	PLUS	FH55	1610000	839	881
		PLUS M+S	TH25	1610100	905	951
305/70 R 19.5 TL	148/145M		FH55	0837700	942	990
		M+S	TH25	0855900	987	1.036

Ölçü	Yük İndeksi ve Hız Kodu	İşaretler	Taban Deseni	IP Kodu	Peşin Fiyatı TL	Taksitli Fiyatı TL
------	-------------------------	-----------	--------------	---------	-----------------	--------------------

Ø 20"

10.00 R 20 TT	146/143L 16	PLUS	LS97	0805300	817	858
		PLUS M+S	TH25	0805600	872	916
11.00 R 20 TT	150/146L 16	PLUS	LS97	0805200	895	940
		PLUS M+S	TH25	0805500	1.045	1.098
12.00 R 20 TT	154/150L 18	PLUS	LS97	1235600	1.016	1.067
		PLUS M+S	TH25	1235700	1.080	1.134

Ölçü	Yük İndeksi ve Hız Kodu	İşaretler	Taban Deseni	IP Kodu	Peşin Fiyatı TL	Taksitli Fiyatı TL
<b>Ø 22.5"</b>						
<b>11 R 22.5 TL</b>	148/145L		<b>FR25</b>	1697900	<b>882</b>	<b>926</b>
	148/145M	PLUS M+S	<b>TH25D</b>	1427300	<b>943</b>	<b>990</b>
	148/145L		<b>TR26</b>	1698000	<b>943</b>	<b>990</b>
<b>12 R 22.5 TL</b>	152/148M	PLUS	<b>FR25</b>	1231100	<b>942</b>	<b>989</b>
	152/148L	ECOIMPACT	<b>FR:01</b>	1891200	<b>987</b>	<b>1.036</b>
	152/148M	PLUS M+S	<b>TR25</b>	1231200	<b>1.038</b>	<b>1.090</b>
	152/148L	ECOIMPACT M+S	<b>TR:01</b>	1891300	<b>1.092</b>	<b>1.147</b>
<b>295/80 R 22.5 TL</b>	152/148M	ENERGY	<b>FH55</b>	1009700	<b>1.021</b>	<b>1.072</b>
		AMARANTO	<b>FH85</b>	1387000	<b>1.077</b>	<b>1.130</b>
		AMA. ENERGY	<b>FH88</b>	1891600	<b>1.077</b>	<b>1.130</b>
		ENERGY	<b>TH65</b>	1009800	<b>1.107</b>	<b>1.162</b>
		AMARANTO	<b>TH85</b>	1185300	<b>1.189</b>	<b>1.248</b>
		AMA. EN. M+S	<b>TH88</b>	1891700	<b>1.189</b>	<b>1.248</b>
		PLUS	<b>FR25</b>	1231000	<b>991</b>	<b>1.040</b>
		ECOIMPACT	<b>FR:01</b>	1890200	<b>1.033</b>	<b>1.085</b>
<b>315/80 R 22.5 TL</b>	156/150L (154M)	ECOIMPACT M+S	<b>TR:01</b>	1890300	<b>1.155</b>	<b>1.213</b>
		AMA. ENERGY	<b>FH88</b>	1891800	<b>1.209</b>	<b>1.269</b>
		AMA. ENERGY	<b>TH88</b>	1891900	<b>1.339</b>	<b>1.406</b>
		PLUS	<b>FR25</b>	1230900	<b>1.132</b>	<b>1.189</b>
		ECOIMPACT	<b>FR:01</b>	1890400	<b>1.175</b>	<b>1.234</b>
		PLUS M+S	<b>TR25</b>	1184700	<b>1.260</b>	<b>1.323</b>
<b>275/70 R 22.5 TL</b>	148/145M (150L)	ECOIMPACT M+S	<b>TR:01</b>	1890500	<b>1.310</b>	<b>1.375</b>
		AMARANTO	<b>FH88</b>	1891400	<b>852</b>	<b>895</b>
		M+S	<b>TH65</b>	0836700	<b>925</b>	<b>971</b>
	148/145J (152E)	AMARANTO M+S	<b>TH88</b>	1891500	<b>925</b>	<b>971</b>
		AMARANTO M+S	<b>MC85</b>	1910100	<b>890</b>	<b>934</b>
<b>305/70 R 22.5 TL</b>	152/150L (150M)	AMARANTO M+S	<b>MC88</b>	1954600	<b>890</b>	<b>934</b>
		AMA. ENERGY	<b>FH88</b>	1955600	<b>1.214</b>	<b>1.275</b>
<b>315/70 R 22.5 TL</b>	154/150L (152M)	AMA. ENERGY M+S	<b>TH88</b>	1955700	<b>1.358</b>	<b>1.426</b>
		AMA. ENERGY	<b>FH88</b>	1920500	<b>1.272</b>	<b>1.336</b>
		AMA. ENERGY M+S	<b>TH88</b>	1920600	<b>1.372</b>	<b>1.441</b>
		ECOIMPACT	<b>FR:01</b>	1890600	<b>1.272</b>	<b>1.336</b>
<b>385/65 R 22.5 TL</b>	158L (160K)	ECOIMPACT M+S	<b>TR:01</b>	1890700	<b>1.372</b>	<b>1.441</b>
		AMA. ENERGY	<b>FH88</b>	1952900	<b>1.140</b>	<b>1.197</b>
<b>295/60 R 22.5 TL</b>	150/147L	AMA. ENERGY	<b>FH88</b>	1897400	<b>1.077</b>	<b>1.131</b>
		AMA. ENERGY M+S	<b>TH88</b>	1897700	<b>1.127</b>	<b>1.183</b>
<b>315/60 R 22.5 TL</b>	152/148L	AMA. ENERGY	<b>FH88</b>	1897500	<b>1.283</b>	<b>1.347</b>
		AMA. ENERGY M+S	<b>TH88</b>	1897600	<b>1.347</b>	<b>1.415</b>
<b>385/55 R 22.5 TL</b>	158L (160K)	AMA. ENERGY	<b>FH88</b>	1987500	<b>1.257</b>	<b>1.320</b>

# YOL / YOL DIŐI

Ölçü	Yük İndeksi ve Hız Kodu	İřaretler	Taban Deseni	IP Kodu	Peőin Fiyatı TL	Taksitli Fiyatı TL
------	-------------------------	-----------	--------------	---------	-----------------	--------------------

Ø 20"

12.00 R 20 TT	154/150K (156G)	PLUS	AP05	0881100	1.140	1.197
		PLUS M +S	AT75	1714600	1.176	1.235
	154/150G (156F)	M+S	TQ99	1467300	1.244	1.306
14.00 R 20 TL	164/160G	ML	PS22	1467400	1.848	1.940
335/80 R 20 TL	147K	MPT	PS22	1724100	1.388	1.458
	149K	MPT	PS22	1657100	1.388	1.458
365/80 R 20 TL	149K	MPT	PS22	1724200	1.537	1.613
	152K	MPT	PS22	1657200	1.537	1.613

Ø 22.5"

11 R 22.5 TL	148/145K		FG85	1697800	921	968
12 R 22.5 TL	152/148L		FG85	1288400	1.034	1.086
		M+S	TG85	1288500	1.137	1.193
13 R 22.5 TL	156/150K (154L)	PLUS	AP05	0898100	1.191	1.250
		M+S	FG88	1913400	1.313	1.379
	156/150K	M+S	TG88	1913500	1.437	1.509
			AT99	0794500	1.341	1.408
	156/150F (154G)	DIAMANTE M+S	TQ99	1822600	1.461	1.534
315/80 R 22.5 TL	156/150K	PLUS	AP05	0836900	1.189	1.249
			FG85	1230400	1.253	1.316
		M+S	FG88	1913200	1.277	1.340
		M+S	TG85	1230500	1.307	1.373
		M+S	TG88	1913300	1.334	1.400

Ø 24"

12.00 R 24 TT	160/156K		FG85	1204500	1.201	1.262
		M+S	TG85	1204400	1.274	1.337

Ölçü	Yük İndeksi ve Hız Kodu	İşaretler	Taban Deseni	IP Kodu	Peşin Fiyatı TL	Taksitli Fiyatı TL
------	-------------------------	-----------	--------------	---------	-----------------	--------------------

## Ø 17.5"

205/65 R 17.5 TL	129/127J	FRT	ST55	1852600	515	541
215/75 R 17.5 TL	135/133J	FRT	ST55	1387200	558	585
235/75 R 17.5 TL	143/141J (144F)	FRT	ST55	1466900	649	681
245/70 R 17.5 TL	143/141J (144F)	FRT	ST55	1467000	670	703

## Ø 19.5"

245/70 R 19.5 TL	141/140J	FRT	ST55	1185900	665	698
265/70 R 19.5 TL	143/141J	FRT	ST55	1185800	838	880
285/70 R 19.5 TL	150/148J	FRT	ST55	1185700	849	891
435/50 R 19.5 TL	160J	FRT	ST:01	1934100	1.330	1.396
445/45 R 19.5 TL	160J	FRT	ST:01	1934200	1.526	1.603

## Ø 20"

365/80 R 20 TL	160K		ST35	0738800	1.388	1.457
----------------	------	--	------	---------	-------	-------

## Ø 22.5"

385/65 R 22.5 TL	160K	FRT	ST:01	1892900	1.193	1.253
	160K (158L)	Diamante (+)	ST35	1724400	1.124	1.180
		PLUS	AP05	1241000	1.176	1.235
385/55 R 22.5 TL	160K	FRT	ST:01	1961500	1.316	1.381

## ÇAPRAZ KATLI OTOBÜS KAMYON DIŞ LASTİKLERİ

Ölçü	Yük İndeksi ve Hız Kodu	İşaretler	Taban Deseni	IP Kodu	Peşin Fiyatı TL	Taksitli Fiyatı TL
------	-------------------------	-----------	--------------	---------	-----------------	--------------------

Ø 20"

8.25-20 TT *	12PR		AS22	0189900	397	417
	14PR		AS22	0190000	435	457
9.00-20 TT *	14PR		RG10	0187500	544	572
			AS22	0190200	579	608
10.00-20 TT *	14PR		RG10	0187200	604	634
			AS22	0190300	652	684
	16PR		RG10	0187000	652	685
			AS22	0190400	713	748
11.00-20 TT *	14PR		RG10	0187300	658	691
			AS22	0190500	721	757
	16PR		RG10	0187100	705	740
			AS22	0190600	771	809
12.00-20 TT *	18PR		RG10	0187700	847	889
			AS22	0190900	930	977
	20PR		RG10	0728300	887	931
			AS22	0191200	957	1.004

Ø 24"

12.00-24 TT *	18PR		TR20	0191700	937	984
			LU78	0450800	952	1.000

## ÇAPRAZ KATLI KAMYONET DIŞ LASTİKLERİ

Ölçü	Yük İndeksi ve Hız Kodu	İşaretler	Taban Deseni	IP Kodu	Peşin Fiyatı TL	Taksitli Fiyatı TL
------	-------------------------	-----------	--------------	---------	-----------------	--------------------

Ø 16"

6.00-16 C TT	6PR		RG10	0174000	141	149
			TO23	0467000	212	223
6.50-16 C TT	8PR		RG10	0173600	204	214
			RG10	0173700	218	229
			LT99	1171500	225	236
6.50-16 C TL	10PR		LT99	1171300	235	247
7.50-16 C TT *	8PR		RG10	0173300	245	258
			AS22	0175900	250	262
	10PR		RG10	0173400	279	293
			AS22	0176000	289	303
	12PR		FS40	0468500	291	306
			RG10	0173800	287	301
			AS22	0175700	296	311
			FS40	0468600	300	315
9.00-16 C TT *	8PR		MT06	0176700	333	350
	10PR		MT06	0176900	344	361
	12PR		MT06	1015900	360	378

\* Kolanlar fiyatlara dahildir.

# TRAKTÖR ÖN DIŐ LASTİKLERİ

1 Nisan 2011

Ölçü	Yük İndeksi ve Hız Kodu	İşaretler	Taban Deseni	IP Kodu	Peşin Fiyatı TL	Taksitli Fiyatı TL
<b>Ø 16"</b>						
5.50-16 TT	4PR		TD27	0448900	107	112
	6PR		TD27	0449000	116	122
6.00-16 TT	6PR		TD27	0449200	133	140
	8PR		TD27	0448600	146	154
6.50-16 TT	6PR		TD27	0449300	164	173
	8PR		TD27	0448500	173	182
7.50-16 TT	6PR		TD27	0449500	195	204
	8PR		TD27	0449600	219	230
	10PR		TD27	0449700	243	255

## Ø 18"

7.50-18 TT	6PR		AGRAR	0429800	270	283
------------	-----	--	-------	---------	-----	-----

## Ø 19"

6.00-19 TT	6PR		TD27	0449800	162	170
------------	-----	--	------	---------	-----	-----

# TRAKTÖR ARKA DIŐ LASTİKLERİ

Ölçü	Yük İndeksi ve Hız Kodu	İşaretler	Taban Deseni	IP Kodu	Peşin Fiyatı TL	Taksitli Fiyatı TL
<b>Ø 28"</b>						
12.4/11-28 TT	6PR		TM99	1232900	600	630
	8PR		TM99	1233000	645	677
13.6/12-28 TT	6PR		TM99	1233100	692	727
	8PR		TM99	1233200	741	778
14.9/13-28 TT	6PR		TM99	1233300	821	862
	8PR		TM99	1156700	882	926

## Ø 30"

16.9/14-30 TT	6PR		TM99	1233400	1.047	1.099
	8PR		TM99	1233500	1.119	1.175
18.4/15-30 TT	6PR		TM99	1233600	1.268	1.331
	8PR		TM99	1233700	1.366	1.434

## Ø 36"

13.6/12-36 TT	6PR		TM99	1234100	853	896
	8PR		TM99	1234200	892	937

## BİÇER DÖVER DIŞ LASTİKLERİ

Ölçü	Yük İndeksi ve Hız Kodu	İşaretler	Taban Deseni	IP Kodu	Peşin Fiyatı TL	Taksitli Fiyatı TL
------	-------------------------	-----------	--------------	---------	-----------------	--------------------

Ø 26"

18.4/15-26 TT	10PR		TM63	0441500	1.316	1.381
	12PR		TM63	0443100	1.395	1.464
23.1-26 TL	14PR		MB39	0708600	3.293	3.458

Ø 30"

18.4/15-30 TT	10PR		TM99	1233800	1.504	1.579
	12PR		TM99	1233900	1.668	1.752
	14PR		TM99	1234000	1.849	1.941
23.1-30 TT	12PR		TM95	0780100	3.136	3.292

## YOL DIŞI VE İŞ MAKİNESİ DIŞ LASTİKLERİ

Ölçü	Yük İndeksi ve Hız Kodu	İşaretler	Taban Deseni	IP Kodu	Peşin Fiyatı TL	Taksitli Fiyatı TL
------	-------------------------	-----------	--------------	---------	-----------------	--------------------

Ø 15"

205/60 R 15 TL			COMP (C-1)	0428100	407	428
----------------	--	--	------------	---------	-----	-----

Ø 20"

11.00-20 TT	12PR		COMP (C-1)	0427900	987	1.036
-------------	------	--	------------	---------	-----	-------

Ø 24"

13.00-24 TL	10PR		PN14	0430800	829	870
	12PR		PN14	0430900	957	1.004
13.00-24 TT	12PR		PN14	0430400	872	915
	14PR		PN14	1045100	995	1.045
14.00-24 TL	10PR		PN14	0430600	1.066	1.119
	12PR		PN14	0431000	1.177	1.236
	16PR		PN14	1572900	1.268	1.332
14.00-24 TT	12PR		PN14	0430700	1.108	1.164
	16PR		PN14	1045200	1.198	1.258

## IMPLEMENT DIŞ LASTİKLERİ

Ölçü	Yük İndeksi ve Hız Kodu	İşaretler	Taban Deseni	IP Kodu	Peşin Fiyatı TL	Taksitli Fiyatı TL
------	-------------------------	-----------	--------------	---------	-----------------	--------------------

Ø 15"

5.00-15 TT	4PR		IM110	0198300	135	142
------------	-----	--	-------	---------	-----	-----

Ø 16"

6.00-16TT	4PR		IM110	0199700	140	147
	6PR		IM110	0198400	154	162

Ø 18"

10.5-18 TT	6PR		GG1	0445900	578	607
	8PR		GG4	0197400	552	580
	10PR		GG1	0792500	697	732
12.5-18 TT	8PR		GG4	0197500	692	727
	8PR		GG1	0446000	776	815
	10PR		GG1	0446300	820	861

Ø 20"

12.5-20 TT	12PR		GG1	0446200	877	921
------------	------	--	-----	---------	-----	-----

# OTOBÜS-KAMYON İÇ LASTİKLERİ

1 Nisan 2011

Ölçü	Yük İndeksi ve Hız Kodu	İşaretler	Taban Deseni	IP Kodu	Peşin Fiyatı TL	Taksitli Fiyatı TL
<b>Ø 20"</b>						
20 Z 500		9.00-20		0623200	69	73
20 Z 570		10.00-20		0623100	76	79
20 Z 595		11.00-20		0623000	86	90
20 Z 640		12.00-20		0622800	94	98

<b>Ø 24"</b>						
24 Z 640		12.00-24		0637500	102	107

# MINİBÜS-KAMYONET VE TRAKTÖR ÖN İÇ LASTİKLERİ

Ölçü	Yük İndeksi ve Hız Kodu	İşaretler	Taban Deseni	IP Kodu	Peşin Fiyatı TL	Taksitli Fiyatı TL
<b>Ø 16"</b>						
16 L 350		6.00-16		0640600	30	31
16 L 400		6.50-16, 7.00-16		0643000	30	31
16 Z 415		7.50-16 Metal Sübap		0643100	36	38
16 L 430		7.50-16		0641400	36	38
16 Z 510		9.00-16		0645000	55	57

<b>Ø 19"</b>						
19 L 395		6.00-19		0620200	30	31

# TRAKTÖR ARKA İÇ LASTİK

Ölçü	Yük İndeksi ve Hız Kodu	İşaretler	Taban Deseni	IP Kodu	Peşin Fiyatı TL	Taksitli Fiyatı TL
<b>Ø 26"</b>						
26 T 870		18.4/15-26		0624700	97	102
<b>Ø 28"</b>						
28 T 675		12.4/11-28,13.6/12-28		0625300	79	83
28 T 760/790		14.9/13-28		0625400	90	95
<b>Ø 30"</b>						
30 T 830		16.9/14-30, 16.9 R 30		0626200	134	141
30 T 940		18.4/15-30, 18.4 R 30		0626300	138	145
<b>Ø 36"</b>						
36 T 760E		13.6/12-36		0634800	109	114

# YOL DIŐI İÇ LASTİKLERİ

Ölçü	Yük İndeksi ve Hız Kodu	İşaretler	Taban Deseni	IP Kodu	Peşin Fiyatı TL	Taksitli Fiyatı TL
Ø 24"						
24 T 750		13.00-24, 14.00-24		0637200	114	119

## KOLAN

Ölçü	Yük İndeksi ve Hız Kodu	İşaretler	Taban Deseni	IP Kodu	Peşin Fiyatı TL	Taksitli Fiyatı TL
Ø 16"						
U16		6.50-16		9007000	22	23
U190-16 SDC		7.50-16		9007100	22	23
U190 C 16 SDC		9.00-16		9007200	22	23

Ø 24"						
U230-24		12.00-24		9007700	39	41
P 11-24		13.00-24/14.00-24		9005400	45	47

Ø 20"						
O-RING		365/80 R 20		9008800	8	9
U20		9.00/10.00/11.00/12.00		9025000	33	35


